



Certificate of constancy of performance
No. 1325-CPR-3747

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product(s)

**Windows and external pedestrian doorsets
with fire resistance properties**
made of aluminium profile systems PE 78EI manufactured by „PONZIO POLSKA”
according to the Annex

PLACED ON THE MARKET UNDER THE NAME OF:

SIA “ALUKON”

Pliņciema iela 15, Mārupe, Mārupes novads, LV-2167, Latvia; Reg. No. 40003826920

ADDRESS OF MANUFACTURER:

SIA "ALUKON", Pliņciema iela 15, Mārupe, Mārupes novads, LV-2167, Latvia

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 16034:2014

and

EN 14351-1:2006+A2:2016

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the
constancy of performance of the construction product.

This certificate was first issued on 3 July 2020 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by notified factory production control certification body.

(next surveillance – June 2021)

3 July 2020

Martins Maskavs
Certification Manager



Certificate issued on 1 (one) page with Annex on 1 (one) page



EN ISO/IEC 17065
S1-182

AS Inspecta Latvia
Skanstes iela 54A, Rīga
LV-1013, Latvija

T. +371 67 607 900
F. +371 67 607 901
latvia@kiwa.com

www.kiwa.com

Inspecta Latvia
Trust, Quality & Progress

CERTIFICATE

Annex

Certificate No. 1325-CPR-3747



Product: Windows and external pedestrian doorsets with fire resistance properties made of aluminium profile systems manufactured by „PONZIO POLSKA”

(address of manufacturer: ul. Plocka 22, Cekanowo, Poland).

Manufacturer: SIA "ALUKON" ražotne, Pliēnciema iela 15, Mārupe, Mārupes novads, LV-2167, Latvia

No.	Declared property	PONZIO PE 78EI
1.	Fire resistance E EI ₁ EI ₂ EW	EI ₁ 30/ EI ₁ 60 EI ₂ 30/ EI ₂ 60 EW30
2.	Smoke control	S ₂₀₀ , S _a
3.	Disconnecting ability	NPD
4.	Self-closing	C
5.	Disconnecting ability resistance	NPD
6.	Self-closing resistance Cyclicity Corrosion resistance	5 pass

The windows and external pedestrian doorsets may be modified in accordance with the conditions mentioned in the Instytut Techniki Budowlanej (ITB) (Poland) reports 1561/19/R120NZP (11.09.2019.) and AT-15-7540/2016 (30.09.2016.)


Martins Maskavs

Certification Manager



EN ISO/IEC 17065
S1-182

AS Inspecta Latvia
Skanstes iela 54A, Rīga
LV-1013, Latvija

T. +371 67 607 900
F. +371 67 607 901
latvia@kiwa.com

www.kiwa.com